

Research trends, conservation issues and approaches for the endangered Red panda (*Ailurus fulgens*): a systematic review of literatures across their home-range

Bijaya Dhami^{1,2}, Sachin Timilsina^{1,2}, Amit Adhikari^{1,2}, Bijaya Neupane¹, Nar Bhadur Chhetri³, Alisha Sharma^{1,2}, Aakash Paudel^{1,2}, Mahamad Sayab Miya¹, Byanjana Sharma¹ and Apeksha Chhetri¹

¹Institute of Forestry, Pokhara Campus, Tribhuvan University, Nepal

²Society for Wildlife Research and Conservation (SOWREC), IOF, Pokhara, Nepal

³Assistant Forest Officer, Division Forest Office, Dailekh, Nepal

*Corresponding author ✉: bijaysinghdhami@gmail.com

Abstract

The red panda (*Ailurus fulgens*), an arboreal mammal belonging to the family Ailuridae, and order Carnivora with herbivorous tendencies is distributed across the mountains of Nepal, Bhutan, China, India, and Myanmar. Due to different anthropogenic activities, the wild populations of *A. fulgens* have declined by 50% across these range countries. There are many gaps in the current knowledge concerning this endangered, elusive, and charismatic animal. We applied a systematic review process to better understand the research trends, conservation threats, and approaches and identified research gaps that potentially impact the long-term conservation of *A. fulgens*. Altogether, we analyzed 168 published papers over 33 years and in different thematic areas. Our study revealed that studies on *A. fulgens* are not evenly distributed across the range of the species, with the majority of them being from China, then Nepal, and very few from Bhutan, India, and Myanmar. The majority of the literature concerning captive and free-ranging populations of *A. fulgens* is skewed toward different aspects of biology including anatomy, general behavior, reproduction, nutrition, and different aspects of habitat including distribution patterns, and habitat use. There is limited information on *A. fulgens* genetics and it is confined to Chinese populations. Studies on diseases, the impact of anthropogenic activities like tourism, infrastructure development, movement ecology, interaction with other associated species, and studies addressing the impact of climate change on this species are very sparse. Hence, for the conservation success of *A. fulgens* understanding, these issues are critical.

Received: 17 February 2021

Accepted: 28 March 2021

Published online: 30 June 2021

Key words: Anthropogenic activities, charismatic animal, conservation, endangered, research trend

Introduction

The red panda (*Ailurus fulgens*) is an arboreal mammal belonging to the family Ailuridae and order Carnivora with herbivorous tendencies chiefly feeding on young leaves and shoots of bamboo (Glatston et al., 2015). *Ailurus fulgens* is categorized as an Endangered (EN) species by the IUCN Red List (Glatston et al., 2015), listed on Appendix I of Convention on International Trade in Endangered Species of Wild Fauna and Flora

(CITES) (CITES, 2019) and protected by different regional laws in their range countries. Two subspecies of red panda *Ailurus fulgens fulgens* (Himalayan subspecies) and *Ailurus fulgens styani* (Chinese subspecies) were recorded based on their morphological characteristics (Glatston, 1994; Wei et al., 1999) however, a recent study of 65 whole genomes provided comprehensive evidence for species divergence (Hu et al., 2020). *Ailurus fulgens* here by *A. fulgens* is a habitat and dietary specialist (Yonzon, 1989), that occurs in

subalpine areas of Asia i.e. Nepal, India, Bhutan, Myanmar, and China (Bista et al., 2017) within the elevation range of 2300–4000 m (Glatston et al., 2015).

Ailurus fulgens dwells in the bamboo understory in temperate conifer forests adjacent to broadleaf forests (Yonzon and Hunter, 1991). Studies of (Yonzon and Hunter, 1991; Dorji et al., 2012; Bista et al., 2017) have reported that *A. fulgens* favors areas with dense forest canopy (over 30%), plentiful bamboo cover (over 37%), the bamboo height of approximately 2.9 m and within 100–200 m of a water source. They prefer to inhabit slopes with north or north-west aspects, however, some research has indicated a preference for southwest aspects too (Yonzon and Hunter, 1991; Zhang et al., 2008). Leaves and shoots of bamboo contribute almost 83% of the overall diet of *A. fulgens* (Reid et al., 1991; Wei et al., 1999). They occur in isolated and fragmented forest patches with a low density despite their wide range of distribution across Asia, mainly because of human-induced stress (Yonzon and Hunter, 1991; Bista et al., 2017; Panthi et al., 2017). Habitat loss, degradation, and fragmentation are identified as major threats to *A. fulgens* (Yonzon and Hunter, 1991; Pradhan et al., 2001). Additionally, overgrazing, unsustainable collection of forest resources, development of infrastructure, poaching and illicit trade, and forest fires have created an unpredictable level of threat to the wild populations

of *A. fulgens* (Sharma and Belant, 2010; Sharma et al., 2014; Bista et al., 2017; Acharya et al., 2018).

The wild populations of *A. fulgens* have declined by 50% over the past three decades and this trend is continuing (Glatston et al., 2015). In this study, we carried out a comprehensive review of published peer reviewed articles on *A. fulgens* to understand the trends and current status of research, conservation issues, and approaches to conserve this flagship species of the Himalayas across Asia.

Material and Methods

Literature search

We adopted the systematic review procedure recommended by Pullin and Stewart (2006) for conservation and environment management (Fig. 1). We searched for peer-reviewed articles published on *A. fulgens* in their range countries (Nepal, India, China, Bhutan, and Myanmar) utilizing two web-based databases- Google Scholar and Scopus. We used 'Red panda', '*Ailurus fulgens*', 'Red panda - Human conflict', and 'Red panda conservation' as keywords for the searches. Altogether, we found 358 articles in Google Scholar and 153 articles in Scopus (Fig. 1) and excluded the articles that did not meet our selection criterion.




Figure 1: Process of literature search and selection for the systematic review process on Red pandas.

Selection criteria

We inspected the title, abstract, and keywords of each paper and eliminated all the articles that were not associated with the Red Panda *A. fulgens*. After eliminating the duplicates, we found 118 relevant articles common to both databases, 42 from Google Scholar only and 8 from Scopus only. We then reviewed and extracted information from those final 168 articles.

Data compilation and analysis

To understand the research focus and priorities on *A. fulgens* we classified each article into different categories:

- a) Country of publication and year of publication.
- b) Thematic focus (Table 1).
- c) The number of citations on each paper.
- d) Study on in-situ or ex-situ or both setup.

Furthermore, to understand the conservation approach we explored the governmental and institutional reports and publications in *A. fulgens* range countries. Selected articles were also explored to find major conservation issues of *A. fulgens* throughout the species range countries. If an article discusses several different themes equally, then the article was counted under multiple primary themes. If an article discusses one major theme but other themes are also covered to a lesser extent, then the other themes are counted as secondary themes. The sample size differs in the thematic analysis because any one article could be recorded under one or multiple primary or secondary themes.

Results and Discussion

Research trends on *Ailurus fulgens*

There is a steady increase in the number of publications on *A. fulgens*, starting with three studies published in China between 1980–1990 (Fig. 2), to 53.57% (n= 93) of research papers published between 2010–2020.

During the 1980s and 1990s research was predominantly focused on different aspects of the biology of red pandas including anatomical studies (Wang, 1997; Huichang et al., 1999), feeding behavior (Fuwen et al., 1995; Wei et al., 1999), reproductive biology (Jinchu, 1991), nutrition/energy use or requirements (Wei et al., 1999) and habitats including distribution and habitat use (Reid et al., 1991; Gang, 1998; Fuwen et al., 1999). Similarly, biology research (n= 39) and habitat (n= 33) was dominant in the 2000s including several other aspects such as activity patterns (Zhang et al., 2011; Tenget al., 2013; Khan and Baskaran, 2019), physiology (Yunfang et al., 2009; Xiu et al., 2019), habitat suitability and connectivity (Thapa et al., 2018; 2020; Tobgay and Mahavik, 2020) and habitat overlap (Bista et al., 2018). A significant advancement in research focusing on different aspects of populations including photographic records, identification, and demography (Chalise, 2013; Dorjee et al., 2014; Shrestha et al., 2015; Dangol and Chalise, 2018; Ghimire et al., 2019;) were noticed. Another aspect of the research was on parasites and pathogens (Lama et al., 2015; Shrestha and Maharjan, 2015; Bista et al., 2017; Shrestha and Maharjan, 2017; Deng et al., 2019) in *A. fulgens*. Publications on *A. fulgens* genetics similarly started during the 2000s; with 25 articles published within two decades focusing on different aspects of genetics, including DNA sequencing (Li et al., 2005; Qin et al., 2007; Guo et al., 2011), inbreeding (Tao et al., 2009), genetic variation (Dalui et al., 2020) and molecular systematics (Nie et al., 2002; Hu et al., 2017; Jin et al., 2019).

Until December 2020, the selected articles (n= 168) were cited 3147 times. The average citation per paper was 18.73 (range 0–154). Among all themes studied, the highest mean citation per publication was for habitat (26.7) and was least for handling and capture (5).

Table 1: Red panda research in different thematic areas with a summary of key content in each thematic area.

Serial number	Thematic area	Key content
1	Biology	Studies on morphological, anatomical, and physiological aspects also general, feeding, and reproductive behaviors.
2	Habitat	Studies relating to distribution, habitat use, dynamics, and suitability.
3	Population	Studies relating to population status, trends, and management perspective.
4	Genetics	Studies relating to the testing of microsatellite loci and preliminary genetic studies, including DNA barcoding and genetic variability.
5	Diseases	Studies relating to diseases, pathogens, parasites, causes, and treatments.
6	Impact on species	Human- <i>A. fulgens</i> conflict, climate change, poaching, trade, tourism activities, and socio-economic development of <i>A. fulgens</i> habitat.
7	Capture and handling	Capture and handling, translocation, and chemical immobilization.




Figure 2: Number of publications on *Ailurus fulgens* between 1980–2020.

We found 5 publications with >100 citations published between 1998–2007, with the majority focusing on habitat and population ($n=2$ each) and one on biology. Among the reviewed publications, 32 are not yet cited and 62.5% ($n=20$) of them were published between 2014–2020.

The thematic focus of *A. fulgens* research is described in (Fig. 3). Publications on *A. fulgens* are skewed towards its biology ($n=49$), especially in the captive setup ($n=29$). Studies on free-ranging populations of *A. fulgens* were focused on habitat ($n=37$) followed by population ($n=22$) and biology and impact on species themes (Fig. 3). The majority of the research papers are published within China ($n=93$) followed by Nepal ($n=42$), whereas Myanmar has the least number of publications ($n=1$) to date (Fig. 4).

The period between 2005 and 2012 was the golden era for *A. fulgens* research in China where many papers ($n=37$) were published. The main focus of study during this period was on biology ($n=15$) (Wei et al., 2005; Zhi-ping, 2010; Li et al., 2011; Zhang et al., 2011) and genetics ($n=10$) (Li et al., 2005; Liu et al., 2005; Zhang et al., 2008; Guo et al., 2011). A further six papers focused on habitat (Zhang et al., 2007; Yang et al., 2008), four on disease (Qin et al., 2007; Lan et al., 2012), and two papers focused on the impact on the species (Wenguang et al., 2008).

The rate of research publication increased between 2013 and 2020 in Nepal ($n=33$), Bhutan ($n=6$), and India ($n=15$) with the majority of the research papers ($n=17$) focusing on various aspects of the species habitat (Bhatta et al., 2014; Chakraborty et al., 2015; Kandel et al., 2015; Bista et al., 2017; Dendup et al., 2018; Bista et al., 2019;

Dendup et al., 2020) followed by population ($n=13$) (Ghose et al., 2011; Shrestha et al., 2015; Bashir et al., 2019; Lama, 2019), 11 papers published on different aspects of impact on the species (Sharma et al., 2014; Acharya et al., 2018; Bhattarai, 2019; Bista et al., 2020; Lama et al., 2020), four papers published on disease (Lama et al., 2015; Shrestha and Maharjan, 2015; Bista et al., 2017; Shrestha and Maharjan, 2017) and two papers published on the genetics of the species in India (Kumar et al., 2016; Dalui et al., 2020). Three papers were published covering the species in multiple countries; two of them on habitat covering the overall range of *A. fulgens* and one on genetics in the mountains of Nepal and China (Hu et al., 2020).

Conservation threats

In reviewing the literature, we indexed the major threats that are directly or indirectly affecting the survival of *A. fulgens* in its range countries. Nine categories of threat are identified in the published literature including both natural and anthropogenic threats. Several studies have been conducted on each threat category with a major focus on habitat loss and fragmentation ($n=28$), poaching and hunting ($n=26$), livestock pressure and grazing ($n=20$), and bamboo flowering and collection ($n=19$) (Fig. 5). We identified that *A. fulgens* is more threatened in Himalayan countries i.e. Nepal, India, and Bhutan whereas few threats are reported from China. Prime habitat loss and fragmentation for *A. fulgens* is a major issue in Nepal (Panthi et al., 2012; 2017; Bista, 2018; Bhattarai, 2019), India (Ghose et al., 2011; Jha, 2011; Joshi et al., 2020), Bhutan (Dorji et al., 2012; Dendup et al., 2020), and China (Wei et al., 1999; Hu et al., 2011; Zhou et al., 2013).




Figure 3: Red panda research on seven different thematic areas.




Figure 4: Publications by country in different time intervals for *Ailurus fulgens*.

Similarly, poaching and hunting are reported as existing threats in China (Wei et al., 1999; Liang et al., 2007; Hu et al., 2011; Zhou et al., 2013), India (Mallick, 2015; Budithi et al., 2016; Khan and Baskaran, 2019; Pilia et al., 2020), Nepal (Acharya et al., 2018; Bista, 2018; Bhattarai, 2019; Bista et al., 2020), Myanmar (Zaw et al., 2008) and Bhutan (Dorji et al., 2012). In different studies across the range countries (Liang et al., 2007; Gyeltshen, 2010; Bista and Paudel, 2013; Chalise, 2013; Wangchuk,

2013; Mallick, 2015; Dendup et al., 2017; Bashir et al., 2019; Bhattarai, 2019; Ghimire et al., 2019; Tobgay and Mahavik, 2020) livestock pressure and grazing have been identified as critical issues for the survival of *A. fulgens*. Likewise, bamboo loss, unmanaged harvesting, and bamboo flowering are other key threats to *A. fulgens* (Bista and Paudel, 2013; Sharma et al., 2014; Dendup et al., 2017; Drukpa, 2018; Bashir et al., 2019; Ghimire et al., 2019; Lama, 2019).




Figure 5: Major conservation threats to *Ailurus fulgens*.

Moreover, diseases, inbreeding depression, predation by its natural predators and house dogs, infrastructure development, climate change, and forest fires have also been reported as conservation challenges (Adhikari, 2009; Ghose and Dutta, 2011; Panthi et al., 2012; Wangchuk, 2013; Kandel et al., 2015; Shrestha and Maharjan, 2015; Drukpa, 2018; Bista et al., 2019; Dendup et al., 2020).

Conservation approaches

Conservation of *A. fulgens* has been prioritized in various conservation-related documents and various conservation strategies have been adopted by Asian countries for the conservation of *A. fulgens*. It is legally protected by the governments of the countries within their habitat range and the hunting of the species is illegal (Glatston et al., 2015). The establishment of protected areas for *A. fulgens* has been a prior conservation approach.

In Nepal, various conservation-related documents, including the National Conservation Strategy (1988) (GoN/MFSC, 1988), the Master Plan for Forestry Sector (1988) (GoN/MFSC, 1998), the Plan for the Conservation of Ecosystems and Genetic Resources (1988), the Nepal Environmental Policy and Action Plan (1993), and the Nepal Biodiversity Strategy (2002) (GoN/MFSC, 2002) have emphasized the preservation of rare or endangered species like *A. fulgens*, through mechanisms such as population surveys, monitoring, protecting key habitats, and relocation and restoration of such species. The Constitution of Nepal (2007) has also made the provision for the maintenance of 40% of the forest in the country, along with the protection of associated rare wildlife species. *Ailurus fulgens* is protected in

Nepal by the National Park and Wildlife Conservation Act, 1973 (GoN, 1973) which prohibits killing or capture of the species dead or alive (Bista and Paudel, 2013). In section 26 (2) of the act, there is a provision for a fine of up to Nepalese Rupees 100,000–500,000, or jail for 1–10 years, or both, to any person who kills or tries to kill *A. fulgens*.

The establishment of an *A. fulgens* conservation area inside the Langtang National Park (LNP) by the Department of National Park and Wildlife Conservation (DNPWC) in 1990 was another milestone for the conservation of *A. fulgens* in Nepal (Bista and Paudel, 2013). The *A. fulgens* Conservation Plan for LNP and its Buffer Zone in Nepal (2009–2013) was implemented by DNPWC but the plan was unable to reach its targeted objectives (Bista and Paudel, 2013). Realizing the need for *A. fulgens* conservation in Nepal, a five-year conservation action plan (2019–2023) was launched (GoN/DNPWC, 2018). This action plan has provided a framework for engaging local communities and strengthening coordination among conservation actors at both national and international levels. Also, Protected Area (PA) governing authorities have designed buffer zone areas in all the PAs in which *A. fulgens* is distributed. Community-based *A. fulgens* monitoring and community-based anti-poaching units have been established to monitor wildlife in mountainous PAs where official human resources are inadequate (Acharya and Dhakal, 2012). Outside PAs, the Red Panda Network (RPN) began conservation initiatives in the eastern part of Nepal in 2007 through research and community-based monitoring with the coordination and mobilization of Community Forest User Groups

(CFUGs) (Williams et al., 2011). The Department of Forest (DoF) and DNPWC of the Nepal government surveyed the distribution status of *A. fulgens* at a national scale in 2016, which has added further positive efforts in panda conservation (Mahato et al., 2011).

In Bhutan, *A. fulgens* has been included in Schedule I species of the Forest and Nature Conservation Act of Bhutan 1995 under which it receives the highest legal protection (GoB, 1995). The Act has established a network of corridors between all PAs that include panda habitat (Wangchuk, 2007). The government of Bhutan, in collaboration with the RPN, has launched a five-year (2018–2023) action plan to conserve *A. fulgens* (NCD, 2019). The action plan has highlighted efforts to strengthen transboundary collaboration with an emphasis on habitat management and protection, enhancing rural livelihood, conservation education, improved coordination with stakeholders, and strengthening local *A. fulgens* stewardship for species conservation. In China, *A. fulgens* has been classified as a category II species under the Wild Animal Protection Law (Wei et al., 1999). *Ailurus fulgens* was not included on the list of the key protected animal project in China (Wei and Zhang, 2011) but the huge investment of the Chinese government to protect the habitat of giant pandas would be beneficial to both panda species. Various conservation projects, such as the Natural Forest Protection Project (NEPP), Grain to Green Project, National Wildlife Conservation and Natural Reserves Construction Project, and the China Rural Energy Enterprise Development would be beneficial to the protection of wild fauna and flora including *A. fulgens* in China (Wei and Zhang, 2011).

In India, *A. fulgens* is protected under Schedule I of the Indian Wildlife Protection Act 1972 (Ghose and Dutta, 2011). *A. fulgens* is the state animal of Sikkim state in India, hence it has received additional attention for its conservation. *A. fulgens* conservation activities are carried out in collaboration with the Forest, Environment, and Wildlife Management Department (FEWMD), the Government of Sikkim, and the World Wildlife Fund (WWF)-India (Ghose and Dutta, 2011).

Many Population and Habitat Viability Assessment (PHVA) workshops have been conducted in *A. fulgens* range countries of China (2012), India (2013), and Nepal (2010), with participation from Myanmar and Bhutan (Jnawali et al., 2012; Jha et al., 2014; Wei et al., 2014). Conservation organizations, such as WWF, in collaboration with government authorities, have provided technical skills to forest rangers, park managers, and local communities to monitor and patrol endangered fauna. Wildlife monitoring and patrolling activities are conducted at a local level in different panda range countries. PAs have been establishing wildlife corridors between them, associated buffer zones, and specific conservation zones to ensure the protection of *A. fulgens* outside of PAs.

Conclusion

Our review of *A. fulgens* literature over the past 33 years disclosed that 160+ peer-reviewed articles are published across red panda range countries including both captive and free-ranging populations. The published articles are cited over 3147 times and the investigation shows that there is a steady increase in the number of publications on *A. fulgens*, with 53.57% of research papers being published between 2010–2020. The majority of the research focus is on species biology followed by their habitat. Genetic research is currently more confined to China. Further, our review revealed habitat loss and fragmentation, hunting and poaching, bamboo flowering, and its collection from red panda habitat as major threats across the range of countries. Legal and institutional conservation initiatives have been put forward in many different countries. Recently, the Government of Bhutan and Nepal, in collaboration with the Red Panda Network (RPN) have launched an action plan to conserve *A. fulgens* with an emphasis on strengthening transboundary collaboration. Further, research on population genetics and phylogeography, the impact of anthropogenic activities on *A. fulgens* and their habitats, interaction with associated species, and transboundary conservation efforts are inevitable for conservation of this charismatic species.

Acknowledgments

We would like to express our deep gratitude to Dr. Laxman Khanal, the editor in chief, and anonymous reviewers for their careful reading of our manuscript and their insightful comments and suggestions which greatly improved the paper.

Conflict of interest

The authors declare that there are no conflicting issues related to this review article.

References

- Acharya, K. P. and Dhakal, M. (2012). *Biodiversity conservation in Nepal: A success story*. Department of National Parks and Wildlife Conservation, Nepal. pp. 21–34.
- Acharya, K. P., Shrestha, S., Paudel, P. K., Sherpa, A. P., Jnawali, S. R., Acharya, S. and Bista, D. (2018). Pervasive human disturbance on habitats of endangered Red Panda *Ailurus fulgens* in the Central Himalaya. *Global Ecology and Conservation*, 15: e00420. <https://doi.org/10.1016/j.gecco.2018.e00420>
- Adhikari, A. (2009). An ecological overview of Red Panda. *The Initiation*, 3: 149–152. <https://doi.org/10.3126/init.v3i0.2506>

- Bashir, T., Bhattacharya, T., Poudyal, K. and Sathyakumar, S. (2019). First camera trap record of Red Panda *Ailurus fulgens* (Cuvier, 1825) (Mammalia: Carnivora: Ailuridae) from Khangchendzonga, Sikkim, India. *Journal of Threatened Taxa*, 11 (8): 14056–14061.
<https://dx.doi.org/10.11609/jott.2785.8.7.8953-8969>
- Bhatta, M., Shah, K. B., Devkota, B., Paudel, R. and Panthi, S. (2014). Distribution and habitat preference of Red Panda (*Ailurus fulgens fulgens*) in Jumla District, Nepal. *Open Journal of Ecology*, 4 (15): 989–1001.
<https://doi.org/10.4236/oje.2014.415082>
- Bhattarai, M. (2019). Threats and conservation of Red Panda in Nepal and their socio-economic impacts in the local community. *Journal of Development Innovations*, 3 (2): 39–50.
- Bista, D. (2018). Communities in frontline in Red Panda conservation, Eastern Nepal. *The Himalayan Naturalist*, 1 (1): 11–12.
- Bista, D., Baxter, G. S. and Murray, P. J. (2020). What is driving the increased demand for Red Panda pelts? *Human Dimensions of Wildlife*, 25 (4): 324–338.
<https://doi.org/10.1080/10871209.2020.1728788>
- Bista, D., Paudel, P. K., Jnawali, S. R., Sherpa, A. P., Shrestha, S. and Acharya, K. P. (2019). Red Panda finescale habitat selection along a Central Himalayan longitudinal gradient. *Ecology and Evolution*, 9 (9): 5260–5269.
<https://doi.org/10.1002/ece3.5116>
- Bista, D. and Paudel, R. (2013). An overview of the status and conservation initiatives of Red Panda *Ailurus fulgens* (Cuvier, 1825) in Nepal. *The Initiation*, 5: 171–181.
<https://doi.org/10.3126/init.v5i0.10268>
- Bista, D., Shrestha, S., Kunwar, A. J., Acharya, S., Jnawali, S. R. and Acharya, K. P. (2017). Status of gastrointestinal parasites in Red Panda of Nepal. *PeerJ*, 5: e3767.
- Bista, D., Shrestha, S., Sherpa, P., Thapa, G. J., Kokh, M., Lama, S. T., Khanal, K., Thapa, A. and Jnawali, S. R. (2017). Distribution and habitat use of Red Panda in the Chitwan-Annapurna Landscape of Nepal. *PloS One*, 12 (10): e0178797.
<https://doi.org/10.1371/journal.pone.0178797>
- Bista, M., Panthi, S. and Weiskopf, S. R. (2018). Habitat overlap between Asiatic Black Bear *Ursus Thibetanus* and Red Panda *Ailurus fulgens* in Himalaya. *PloS One*, 13 (9): e0203697.
<https://doi.org/10.1371/journal.pone.0203697>
- Budithi, N. R. B., Kumar, V., Yalla, S. K., Rai, U. and Umaphathy, G. (2016). Non-invasive monitoring of reproductive and stress hormones in the endangered Red Panda (*Ailurus fulgens fulgens*). *Animal Reproduction Science*, 172: 173–181.
<https://doi.org/10.1016/j.anireprosci.2016.07.016>
- Chakraborty, R., Nahmo, L. T., Dutta, P. K., Srivastava, T., Mazumdar, K. and Dorji, D. (2015). Status, abundance, and habitat associations of the Red Panda (*Ailurus fulgens*) in Pangchen Valley, Arunachal Pradesh, India. *Mammalia*, 79 (1): 25–32.
<https://doi.org/10.1515/mammalia-2013-0105>
- Chalise, M. K. (2013). The presence of Red Panda (*Ailurus fulgens*, Cuvier, 1825) in the Polangpati Area, Langtang National Park, Nepal. *Biodiversity Conservation Efforts in Nepal* 2013: 11–22.
- CITES (2019). The Convention on International Trade in Endangered Species of Wild Fauna and Flora (CITES). Around the World in 80 Species (April): 151–169.
- Dalui, S., Khatri, H., Singh, S. K., Basu, S., Ghosh, A., Mukherjee, T., Sharma, L. K., Singh, R., Chandra, K. and Thakur, M. (2020). Fine-Scale landscape genetics unveiling contemporary asymmetric movement of Red Panda (*Ailurus fulgens*) in Kangchenjunga Landscape, India. *Scientific Reports*, 10 (1): 1–12.
<https://doi.org/10.1038/s41598-020-72427-3>
- Dangol, B. and Chalise, M. K. (2018). Evidences of Red Panda in Rachuli VDC, Kalikot District, Nepal. *Journal of Natural History Museum*, 30: 121–128.
<https://doi.org/10.3126/jnhm.v30i0.27541>
- Dendup, P., Cheng, E., Lham, C. and Tenzin, U. (2017). Response of the endangered Red Panda *Ailurus fulgens fulgens* to anthropogenic disturbances, and its distribution in Phrumsengla National Park, Bhutan. *Oryx*, 51 (4): 701–8.
<https://doi.org/10.1017/S0030605316000399>
- Dendup, P., Humle, T., Bista, D., Penjor, U., Lham, C. and Gyeltshen, J. (2020). Habitat requirements of the Himalayan Red Panda (*Ailurus fulgens*) and threat analysis in Jigme Dorji National Park, Bhutan. *Ecology and Evolution*, 10 (17): 9444–9453.
<https://doi.org/10.1002/ece3.6632>
- Dendup, P., Lham, C., Wangchuk, J. and Tshering, K. (2018). Winter habitat preferences of endangered Red Panda (*Ailurus fulgens*) in the Forest Research Preserve of Ugyen Wangchuck Institute for Conservation and Environmental Research, Bumthang. *Journal of Bhutan Ecological Society*, 2: 1–13.
- Deng, L., Yao, J. X., Liu, H. F., Zhou, Z. Y., Chai, Y. J., Wang, W. Y., Zhong, Z. J., Deng, J. L., Ren, Z. H. and Fu, H. L. (2019). First report of blastocystis in Giant Pandas, Red Pandas, and various bird species in Sichuan Province, Southwestern China. *International Journal for Parasitology: Parasites and Wildlife*, 9: 298–304.
<https://doi.org/10.1016/j.ijppaw.2019.06.007>
- Dorjee, D., Chakraborty, R. and Dutta, P. K. (2014). A note on the high elevation distribution record of Red Panda *Ailurus fulgens* (Mammalia: Carnivora: Ailuridae) in Tawang District, Arunachal Pradesh, India. *Journal of Threatened Taxa*, 6 (9): 6290–6292.
<https://doi.org/10.11609/JoTT.o3492.6290-2>

- Dorji, S., Rajaratnam, R. and Vernes, K. (2012). The vulnerable Red Panda (*Ailurus fulgens*) in Bhutan: Distribution, conservation status and management recommendations. *Oryx*, 46 (4): 536–543.
<https://doi.org/10.1017/S0030605311000780>
- Drukpa, S. (2018). Red Panda (*Ailurus fulgens*) and its habitats in Bumdeling Wildlife Sanctuary. *Field Assessment Reports* 122.
- Fuwen, W., Wei, W., Ang, Z., Jinchu, H. and Yi, W. (1995). Preliminary study on food selection and feeding strategy of Red Pandas. Shou Lei Xue Bao= *Acta Theriologica Sinica*, 15 (4): 259–66.
- Fuwen, W., Zuojuan, F. and Zuwang, W. (1999). Habitat selection by Giant Pandas and Red Pandas in Xiangling Mountains. *Dong Wu Xue Bao. Acta Zoologica Sinica*, 45 (1): 57–63.
- Gang, Hu. (1998). the preliminary study on the habitat selection of the Red Panda in Pianma of the Gaoligong Shan Mountains. *Journal of Southwest Forestry College*, 18: 184–188.
- Ghimire, G., Pearch, M., Baral, B., Thapa, B. and Baral, R. (2019). The first photographic record of the Red Panda *Ailurus fulgens* (Cuvier, 1825) from Lamjung District outside Annapurna Conservation Area, Nepal. *Journal of Threatened Taxa*, 11 (12): 14576–14581.
<https://doi.org/10.11609/jott.4828.11.12.14576-14581>
- Ghose, D. and Dutta, P. K. (2011). Status and distribution of Red Panda (*Ailurus fulgens fulgens*) in India. Pp. 357–373 in Red Panda. Elsevier.
<https://doi.org/10.1016/B978-1-4377-7813-7.00020-3>
- Ghose, P. S., Sharma, B., Chakraborty, R. and Legshey, K. (2011). Status of Red Panda in Sikkim: A case study in East Sikkim. Biodiversity of Sikkim–Exploring and Conserving a Global Hotspot. Information and Public Relations Department, Government of Sikkim, 363–378.
- Glatston, A., Wei, F., Zaw, A. T. and Sherpa, A. (2015). *Ailurus fulgens* (Red Panda). The IUCN Red List of Threatened Species 2015 8235: e.T714A110023718.
<http://dx.doi.org/10.2305/IUCN>
- Glatston, A. R. (1994). *Status survey and conservation action plan for Procyonids and Ailurids: the Red Panda, Olingos, Coatis, Raccoons, and their Relatives*. IUCN, Gland Switzerland. 59 pp.
- GoB. (1995). Forest and Nature Conservation Act. *Government of Bhutan*, 21 pp.
- GoN/DNPWC. (2018). Red Panda Conservation Action Plan for Nepal 2019–2023, 52.
- GoN/MFSC. (1988). National Conservation Strategy, Government of Nepal/Ministry of Forest and Soil Conservation, *GEF and UNDP*. 117.
- GoN/MFSC. (1998). Master Plan for the Forestry Sector Nepal: Forestry Sector Policy Kathmandu: GoN (Ministry of Forest and Soil Conservation).
- GoN/MFSC. (2002). Nepal Biodiversity Strategy. Kathmandu: Government of Nepal/ Ministry of Forest and Soil Conservation).
- GoN. (1973). National Parks and Wildlife Conservation Act. *Nepal Gazette* 43.
- Guo, Y., Hu, Y., Qi, D., Zhan, X., Bruford, M. W. and Wei, F. (2011). Genotyping faeces of Red Pandas (*Ailurus fulgens*): Implications for population estimation. *European Journal of Wildlife Research*, 57 (6): 1231–1235.
<https://doi.org/10.1007/s10344-011-0556-4>
- Gyeltshen, K. (2010). Habitat analysis for Red Panda (*Ailurus fulgens*) in Sakteng Wildlife Sanctuary in Trashigang, Bhutan. Ph.D. thesis, University of Salzburg, Austria. 73 pp.
- Hu, Y., Guo, Y. U., Qi, D., Zhan, X., Wu, H. U. A., Bruford, M. W. and Wei, F. (2011). Genetic structuring and recent demographic history of Red Pandas (*Ailurus fulgens*) inferred from microsatellite and mitochondrial DNA. *Molecular Ecology*, 20 (13): 2662–2675.
<https://doi.org/10.1111/j.1365-294X.2011.05126.x>
- Hu, Y., Thapa, A., Fan, H., Ma, T., Wu, Q., Ma, S., Zhang, D., Wang, B., Li, M., Yan, L. and Wei, F. (2020). Genomic evidence for two phylogenetic species and long-term population bottlenecks in Red Pandas. *Science Advances*, 6 (9): 1–11.
<https://doi.org/10.1126/sciadv.aax5751>
- Hu, Y., Wu, Q., Ma, S., Ma, T., Shan, L., Wang, X., Nie, Y., Ning, Z., Yan, L. and Xiu, Y. (2017). Comparative genomics reveals convergent evolution between the Bamboo-eating Giant and Red Pandas. *Proceedings of the National Academy of Sciences*, 114 (5): 1081–1086.
<https://doi.org/10.1073/pnas.1613870114>
- Huichang, C., Hualong, Y., Jun, H., Juai, S., Tongyi, L., Guangcheng, Y. and Dezhong, N. X. L. (1999). Arterial supply of the stomach and intestines of the Red Panda (*Ailurus fulgens*). *Journal of Zhengzhou College of Animal Husbandry Engineering*, 4: 17–23.
- Jha, A. K. (2011). Release and reintroduction of captive-bred Red Pandas into Singalila National Park, Darjeeling, India. pp. 435–446 in Red panda. Elsevier.
<https://doi.org/10.1016/B978-1-4377-7813-7.00025-2>
- Jha, A., Molur, S., Leus, K. and Glatston, A. (2014). Population and habitat viability assessment workshop PHVA for" Red Panda (*Ailurus fulgens*): A Species Conservation Strategic Plan. ZOO'S PRINT, 29 (1): 11–15.
- Jin, Z., Xu, H., Li, D., Xie, M., Zhang, M., Ni, Q. and Yao, Y. (2019). Complete mitochondrial genome of Red Panda (*Ailurus fulgens*) and its phylogenetic analysis. *Mitochondrial DNA Part B*, 4 (2): 2339–2340.
<https://doi.org/10.1080/23802359.2019.1629345>

- Jinchu, H. (1991). Study of reproduction biology of the Red panda. *Journal of China West Normal University (Natural Sciences)*, 1: 1–7.
- Jnawali, S., Leus, K., Molur, S., Glatston, A. and Walker, S. (2012). *Red panda (Ailurus fulgens) in population and habitat viability assessment (PHVA) and species conservation strategy (SCS) workshop report*. National Trust for Nature Conservation, Kathmandu, Nepal, Conservation Breeding Specialist Group and Zoo Outreach Organization, Coimbatore, India. 80 pp.
- Joshi, B. D., Dalui, S., Singh, S. K., Mukherjee, T., Chandra, K., Sharma, L. K. and Thakur, M. (2020). New insights on species divergence in Red Panda. *BioRxiv the Print Server for Biology*, 1–8.
<https://doi.org/10.1101/2020.08.27.268607>
- Kandel, K., Huettmann, F., Suwal, M. K., Regmi, G. R., Nijman, V., Nekaris, K. A. I., Lama, S. T., Thapa, A., Sharma, H. P. and Subedi, T. R. (2015). rapid multi-nation distribution assessment of a charismatic conservation species using open access ensemble model gis predictions: Red Panda (*Ailurus fulgens*) in the Hindu-Kush Himalaya Region. *Biological Conservation*, 181: 150–161.
<https://doi.org/10.1016/j.biocon.2014.10.007>
- Khan, A. S. and Baskaran, N. (2019). Summer activity and feeding pattern of captive Red Panda (*Ailurus fulgens*) at Padmaja Naidu Himalayan Zoological Park, Darjeeling, India. *A Magazine of Agriculture and Allied Sciences*, 2 (1): 4–10.
- Kumar, A., Rai, U., Roka, B., Jha, A. K. and Reddy, P. A. (2016). Genetic assessment of captive Red Panda (*Ailurus fulgens*) population. *SpringerPlus*, 5 (1): 1–7.
<https://doi.org/10.1186/s40064-016-3437-1>
- Lama, B. (2019). Status and distribution of Red Panda (*Ailurus fulgens fulgens*) in Simsime Community Forest of Papung VDC of Taplejung District, Nepal. *Banko Janakari*, 29 (1): 25–32.
<https://doi.org/10.3126/banko.v29i1.25152>
- Lama, S. T., Lama, R. P., Regmi, G. R. and Ghimire, T. R. (2015). Prevalence of intestinal parasitic infections in free-ranging Red Panda (*Ailurus fulgens*) Cuvier, 1825 (Mammalia: Carnivora: Ailuridae) in Nepal. *Journal of Threatened Taxa*, 7 (8): 7460–7464.
<https://doi.org/10.11609/JoTT.o4208.7460-4>
- Lama, S., Shrestha, S., Koju, N. P., Sherpa, A. P. and Tamang, M. (2020). Assessment of the impacts of livestock grazing on endangered Red Panda (*Ailurus fulgens*) habitat in Eastern Nepal. *Open Journal of Ecology*, 10 (3): 97–110.
<https://doi.org/10.4236/oje.2020.103008>
- Lan, J., Fu, Y., Yang, Z., Zhang, Z., Wang, C., Luo, L., Liu, L., Gu, X., Wang, S., Peng, X. and Yang, G. (2012). Treatment and prevention of natural heartworm (*Dirofilaria immitis*) infections in Red Pandas (*Ailurus fulgens*) with Selamectin and Ivermectin. *Parasitology International*, 61 (2): 372–374.
<https://doi.org/10.1016/j.parint.2012.01.006>
- Li, M., Wei, F., Goossens, B., Feng, Z., Tamate, H. B., Bruford, M. W. and Funk, S. M. (2005). Mitochondrial phylogeography and subspecific variation in the Red Panda (*Ailurus fulgens*): implications for conservation. *Molecular Phylogenetics and Evolution*, 36 (1): 78–89.
<https://doi.org/10.1016/j.ympev.2004.12.016>
- Li, Y., Xu, X., Zhang, L., Zhang, Z., Shen, F., Zhang, W. and Yue, B. (2011). An ARMS - based technique for sex determination of Red Panda (*Ailurus fulgens*). *Molecular Ecology Resources*, 11 (2): 400–403.
<https://doi.org/10.1111/j.1755-0998.2010.02934.x>
- Liang, X. U., Zhang, Z. H., Zhang, L., Zhang, W. P., Shen, F. J., Yang, Z., Hou, R., He, W., Wei, K. and Yue, B. S. (2007). Isolation and characterization of 16 Tetranucleotide Microsatellite Loci in the Red Panda (*Ailurus fulgens*). *Molecular Ecology Notes*, 7 (6): 1012–1014.
<https://doi.org/10.1111/j.1471-8286.2007.01759.x>
- Liu, Z., Zhang, B., Wei, F. and Li, M. (2005). Isolation and characterization of Microsatellite Loci for the Red Panda, *Ailurus fulgens*. *Molecular Ecology Notes*, 5 (1): 27–29.
<https://doi.org/10.1111/j.1471-8286.2004.00818.x>
- Mahato, N. K., Kandel, K. and Shakya, S. (2011). A long-term community-based monitoring and conservation program for Red Panda in unprotected forests of Eastern Nepal. *Tigerpaper*, 38 (1): 1–10.
- Mallick, J. K. (2015). In situ and ex situ conservation of Red Panda in Darjeeling District, West Bengal, India. *Animal Diversity, Natural History and Conservation*, 5: 283–305.
- NCD. (2018). *Red Panda Conservation Action Plan (2018–2023): Ensuring the future of Red Panda landscapes through national and regional collaboration*. Nature Conservation Division, Department of Forests and Park Services, Ministry of Agriculture and Forests, Thimphu, Bhutan. 47 pp.
- Nie, W., Wang, J., O'Brien, P. C., Fu, B., Ying, T., Ferguson-Smith, M. A. and Yang, F. (2002). The genome phylogeny of Domestic Cat, Red Panda and five Mustelid species revealed by comparative chromosome painting and G-Banding. *Chromosome Research*, 10 (3): 209–222.
<https://doi.org/10.1023/A:1015292005631>
- Panthi, S., Aryal, A., Raubenheimer, D., Lord, J. and Adhikari, B. (2012). Summer diet and distribution of the Red Panda (*Ailurus fulgens fulgens*) in Dhorpatan Hunting Reserve, Nepal. *Zoological Studies*, 51 (5): 701–709.
- Panthi, S., Khanal, G., Acharya, K. P., Aryal, A. and Srivathsa, A. (2017). Large anthropogenic impacts on a charismatic small carnivore: insights from distribution surveys of Red Panda (*Ailurus fulgens*) in Nepal. *PLoS One*, 12 (7): e0180978.
<https://doi.org/10.1371/journal.pone.0180978>

- Pilia, C., Badola, S., Fernandes, M. and Marak, S. R. (2020). Assessment of illegal trade-related threats to Red Panda in India and selected neighboring range countries. *TRAFFIC*, pp.28.
- Pradhan, S., Saha, G. K. and Khan, J. A. (2001). Ecology of the Red Panda (*Ailurus fulgens*) in the Singhalila National Park, Darjeeling, India. *Biological Conservation*, 98 (1): 11–18. [https://doi.org/10.1016/S0006-3207\(00\)00079-3](https://doi.org/10.1016/S0006-3207(00)00079-3)
- Pullin, A. S. and Stewart, G. B. (2006). Guidelines for systematic review in conservation and environmental management. *Conservation Biology*, 20 (6): 1647–1656. <https://doi.org/10.1111/j.1523-1739.2006.00485.x>
- Qin, Q., Loeffler, I. K., Li, M., Tian, K. and Wei, F. (2007). Sequence analysis of a Canine Parvovirus isolated from a Red Panda (*Ailurus fulgens*) in China. *Virus Genes*, 34 (3): 299–302. <https://doi.org/10.1007/s11262-006-0023-6>
- Qin, Q., Wei, F., Li, M., Dubovi, E. J. and Loeffler, I. K. (2007). Serosurvey of Infectious disease agents of carnivores in captive Red Pandas (*Ailurus fulgens*) in China. *Journal of Zoo and Wildlife Medicine*, 38 (1): 42–50. <https://doi.org/10.1638/06-048.1>
- Reid, D. G., Jinchu, H. and Yan, H. (1991). Ecology of the Red Panda (*Ailurus fulgens*) in the Wolong Reserve, China. *Journal of Zoology*, 225 (3): 347–364. <https://doi.org/10.1111/j.1469-7998.1991.tb03821.x>
- Sharma, H. P., Belant, J. L. and Swenson, J. E. (2014). Effects of livestock on occurrence of the vulnerable Red Panda (*Ailurus fulgens*) in Rara National Park, Nepal. *Oryx*, 48 (2): 228–231. <https://doi.org/10.1017/S0030605313001403>
- Sharma, H. P. and Belant, J. L. (2010). Threats and conservation of Red Pandas in Dhorpatan Hunting Reserve, Nepal. *Human Dimensions of Wildlife*, 15 (4): 299–300. <https://doi.org/10.1080/10871200903582634>
- Sharma, H. P., Swenson, J. and Belant, J. L. (2014). Seasonal food habits of the Red Panda (*Ailurus fulgens*) in Rara National Park, Nepal. *Hystrix, the Italian Journal of Mammalogy*, 25 (1): 47–50.
- Shrestha, S. and Maharjan, M. (2015). Parasitic burden in Red Panda (*Ailurus fulgens* Cuvier, 1825) of Ilam District Community Forest, Nepal. *Nepalese Journal of Zoology*, 3 (1): 49–58.
- Shrestha, S. and Maharjan, M. (2017). Cross infection with gastro-intestinal tract parasites between Red Panda (*Ailurus fulgens* Cuvier, 1825) and livestock in Community Forest of Ilam, Nepal. *International Journal of Research Studies in Zoology*, 3 (4): 15–24. <http://dx.doi.org/10.20431/2454-941X.0304003>
- Shrestha, S., Shah, K. B., Bista, D. and Baral, H. S. (2015). Photographic identification of individual Red Panda (*Ailurus fulgens* Cuvier, 1825). *Applied Ecology and Environmental Sciences*, 3 (1): 11–15.
- Tao, Y., Liu, J., Zhang, Y., Zhang, M., Fang, J., Han, W., Zhang, Z., Liu, Y., Ding, J. and Zhang, X. (2009). Fibroblast cell line establishment, cryopreservation and interspecies embryos reconstruction in Red Panda (*Ailurus fulgens*). *Zygote*, 17 (2): 117–124. <http://dx.doi.org/10.1017/S0967199408004966>
- Teng, L., Liu, X. and Liu, Z. (2013). Activity rhythm of captive Red Panda in rainy seasons. *Journal of Economic Animal*, 17 (2): 67–70.
- Thapa, A., Hu, Y., Aryal, P. C., Singh, P. B., Shah, K. B. and Wei, F. (2020). The endangered Red Panda in Himalayas: potential distribution and ecological habitat associates. *Global Ecology and Conservation*, 21:e00890. <https://doi.org/10.1016/j.gecco.2019.e00890>
- Thapa, A., Wu, R., Hu, Y., Nie, Y., Singh, P. B., Khatriwada, J. R., Yan, L., Gu, X. and Wei, F. (2018). Predicting the potential distribution of the endangered Red Panda across its entire range using MaxEnt Modeling. *Ecology and Evolution*, 8 (21): 10542–10554. <https://doi.org/10.1002/ece3.4526>
- Tobgay, S. and Mahavik, N. (2020). Potential habitat distribution of Himalayan Red Panda and their connectivity in Sakteng Wildlife Sanctuary, Bhutan. *Ecology and Evolution*, 10(23): 12929–12939. <https://doi.org/10.1002/ece3.6874>
- Wang, X. (1997). New cranial material of Simocyon from China, and Its implications for phylogenetic relationship to the Red Panda (*Ailurus fulgens*). *Journal of Vertebrate Paleontology*, 17 (1): 184–198. <https://doi.org/10.1080/02724634.1997.10010963>
- Wangchuk, K. (2013). Habitat status and conservation threats of the Red Panda in Jigme Singye Wangchuck National Park. pp: 1–19.
- Wangchuk, S. (2007). Maintaining Ecological Resilience by Linking Protected Areas through Biological Corridors in Bhutan. *Tropical Ecology*, 48 (2): 176–187.
- Wei, F., Feng, Z., Wang, Z. and Hu, J. (1999). Current distribution, status and conservation of wild red pandas *Ailurus fulgens* in China. *Biological conservation*, 89 (3): 285–291. [https://doi.org/10.1016/S0006-3207\(98\)00156-6](https://doi.org/10.1016/S0006-3207(98)00156-6)
- Wei, F., Feng, Z., Wang, Z. and Li, M. 1999. Feeding strategy and resource partitioning between giant and red pandas. *Mammalia*, 63 (4): 417–430.
- Wei, F., Feng, Z., Wang, Z., Zhou, A. and Hu, J. (1999). Nutrient and Energy Requirements of Red Panda (*Ailurus fulgens*) during Lactation. *Mammalia*, 63 (1): 3–10.
- Wei, F. W., Traylor - Holzer, K., Leus, K. and Glatston, A. (2014). Red Pandas in China: Population and Habitat Viability Assessment Workshop Final Report. Apple Valley, MN: IUCN SSC Conservation Breeding Specialist Group.[Google Scholar].

- Wei, F., Feng, Z., Wang, Z. and Hu, J. (1999). Current Distribution, Status and Conservation of Wild Red Pandas *Ailurus fulgens* in China. *Biological Conservation*, 89 (3): 285–291. [https://doi.org/10.1016/S0006-3207\(98\)00156-6](https://doi.org/10.1016/S0006-3207(98)00156-6)
- Wei, F., Feng, Z., Wang, Z., Zhou, A. and Hu, J. (1999). Use of the Nutrients in Bamboo by the Red Panda (*Ailurus fulgens*). *Journal of Zoology*, 248 (4): 535–541. <https://doi.org/10.1111/j.1469-7998.1999.tb01053.x>
- Wei, F., Lü, X., Li, C., Li, M., Ren, B. and Hu, J. (2005). Influences of Mating Groups on the Reproductive Success of the Southern Sichuan Red Panda (*Ailurus fulgens styani*). *Zoo Biology: Published in Affiliation with the American Zoo and Aquarium Association*, 24 (2): 169–176. <https://doi.org/10.1002/zoo.20034>
- Wei, F. and Zhang, Z. (2011). Red Pandas in the Wild in China. Pp. 375–391 in Red Panda. Elsevier. <https://doi.org/10.1016/B978-1-4377-7813-7.00021-5>
- Wenguang, Z., Yuanman, H., Jinchu, H., Yu, C., Jing, Z. and Miao, L. (2008). Impacts of Land-Use Change on Mammal Diversity in the Upper Reaches of Minjiang River, China: Implications for Biodiversity Conservation Planning. *Landscape and Urban Planning*, 85 (3–4): 195–204. <https://doi.org/10.1016/j.landurbplan.2007.11.006>
- Williams, B. H., Dahal, B. R. and Subedi, T. R. (2011). Project Punde Kundo: Community-Based Monitoring of a Red Panda Population in Eastern Nepal. Pp. 393–408 in Red Panda. Elsevier. <https://doi.org/10.1016/B978-1-4377-7813-7.00022-7>
- Xiu, Y. F., Liu, Y. L., Lin, C. S., Chou, C. H. and Liu, C. C. (2019). Changes In Serum Steroid Levels In Female Red Pandas. *Canadian Journal of Agriculture and Crops*, 4 (2): 136–143.
- Yang, Q., Ran, J. H., Zhang, S. L. and Du, B. B. (2008). Distribution of Red Panda in Qionglai Mountains of Sichuan Province.
- Yonzon, P. B. (1989). Ecology and Conservation of the Red Panda in the Nepal-Himalayas.
- Yonzon, P. B. and Hunter Jr, M. L. (1991). Conservation of the Red Panda *Ailurus fulgens*. *Biological Conservation*, 57 (1): 1–11. [https://doi.org/10.1016/0006-3207\(91\)90104-H](https://doi.org/10.1016/0006-3207(91)90104-H)
- Yunfang, X., Liangping, S. and Shuhui, X. (2009). Serum Steroid Hormone Profiles in Female Red Panda. *Journal of Fujian Agricultural and Forestry University*, 38 (1): 55–60.
- ZAW, T., HTUN, S., Po, S. H. T., MAUNG, M., LYNAM, A. J., LATTI, K. T. and DUCKWORTH, J. W. (2008). Status and Distribution of Small Carnivores in Myanmar. *Small Carnivore Conservation*, 38: 2–28.
- Zhang, J. S., Daszak, P., Huang, H. L., Yang, G. Y., Kilpatrick, A. M. and Zhang, S. (2008). Parasite Threat to Panda Conservation. *Ecohealth*, 5 (1): 6–9. <https://doi.org/10.1007/s10393-007-0139-8>
- Zhang, L., Liang, X., Zhang, Z., Shen, F., Zhang, W., Wei, K., Yang, Z., Hou, R., Yue, B. and Kamata, H. (2008). Identification and Characterization of Ten Polymorphic Microsatellite Loci in the Red Panda *Ailurus Fulgens*. *Conservation Genetics*, 9 (3): 787–790. <https://doi.org/10.1007/s10592-007-9396-x>
- Zhang, Z., Hu, J., Han, Z. and Wei, F. (2011). Activity Patterns of Wild Red Pandas in Fengtongzhai Nature Reserve, China. *Italian Journal of Zoology*, 78 (3): 398–404. <https://doi.org/10.1080/11250003.2011.563248>
- Zhang, Z. J., Wei, F. W. and Hu, J. C. (2007). Habitat Selection and Separation: A Case for the Giant Panda and the Red Panda. *Journal of Chi-Na West Normal University: Natural Sciences*, 28 (2): 111–116.
- Zhi-ping, M. I. (2010). An Observation on the Anatomy and Histology of the Thyroid Gland in Red Pandas (*Ailurus fulgens*). *Sichuan Journal of Zoology*, 4.
- Zhou, X., Jiao, H., Dou, Y., Aryal, A., Hu, J., Hu, J. and Meng, X. (2013). The Winter Habitat Selection of Red Panda (*Ailurus fulgens*) in the Meigu Dafengding National Nature Reserve, China. *Current Science (Bangalore)*, 105 (10): 1425–1429.